ACOUSTICS2008/224 High-altitude Infrasound Calibration Experiments

Henry Bass^a, Eugene Herrin^b, Paul Golden^b, Robert Woodward^c, Douglas Drob^d, Michael Hedlin^e, Catherine De Groot-Hedlin^e, Kris Walker^e, Milton Garces^f, Curt Szuberla^g and Rod Whitaker^h

^aThe University of Mississippi - NCPA, 1 Coliseum Drive, University, MS 38677, USA

^bSouthern Methodist University, P. O. Box 750395, Dallas, TX 75275, USA

^cIncorporated Research Institutions for Seismology, 1200 New York Avenue, NW, Suite 800, Washington, DC 20005, USA

^dNaval Research Laboratory, Space Science Division, 4555 Overlook Avenue, Washington, DC 20375, USA ^eUniversity of San Diego California, Scripps Institute of Oceanography, 9500 Gilman Drive, La Jolla, CA 92093, USA

f Infrasound Laboratory, University of Hawaii, 73-4460 Queen Kaahumanu Highway #119, Kailua-Kona, HI 96740, USA

 $^{\rm g}$ University of Alaska, 903 Koyukuk Drive, Fairbanks, AK 99775, USA $^{\rm h}{\rm Los}$ Alamos National Laboratory, EES-2 MS J577, Los Alamos, NM 87545, USA

At the 152nd Meeting of the Acoustical Society of America, Andre and Bass reported an infrasound experiment conducted at White Sands Missile Range during the 2005-2006 time frame. The experiment consisted of exploding a 22.4 kg charge at altitudes from 31.3 km to 49.6 km then recording the waveforms at 30 infrasound arrays (not all at the same time) at distances up to 1200 km from the source. The analysis is not yet complete but some preliminary observations have been reported in the most recent issue of Acoustics Today. This talk will summarize the findings published in Acoustics Today and offer suggestions to others who might want to access and analyze the data.